Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	361	(digital\$2 or electronic) near3 (pressure adj switch\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 08:24
L2	0	1 same (ventilat\$3 near7 gas)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 09:58
13	0	1 and (ventilat\$3 near7 gas)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 08:26
L4	214	(pressure near2 switch\$3) and (ventilat\$3 near7 gas)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 11:49
L5	31	(pressure near2 switch\$3) same (ventilat\$3 near7 gas)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 10:08
L6	130434	(ventilat\$4 or releas\$3) near7 (hole or pinhole or port\$3)	USPAT; EPO; JPO; DERWENT	OR.	ON	2005/05/26 08:59
L7	9	5 and 6	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 09:00
L8	15067	6 with (hous\$3 or enclosure or chamber)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 09:05
L9	424	(pressure near2 switch\$3) and 8	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 09:05
L10	130	9 and gas\$2	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 09:02
L11	3552	8 with air	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 09:05
L12	29	11 and (pressure near2 switch\$3) and gas\$2	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 11:46
L13	4	(11 with gas) and (pressure near2 switch\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 10:09
L14	80615	(on or off) near3 (value or amount or level)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 09:24
L15	3475	14 near7 (display\$3 or indicat\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 09:24

L16	5	1 and 15	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 09:27
L17	3	16 and ((contact adj output) or (turn\$3 near2 on/off))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 09:29
L18	3	16 and (switch\$3 near4 (on or off))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 09:32
L19	0	16 and delay\$3	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 09:34
L20	28	15 and delay\$3 and (detect\$3 near3 pressure)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 09:44
L21	15	(16 or 20) and analog	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 09:48
L22	3	(16 or 20) and substrate	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 09:48
L23	13	(16 or 20) and material	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 09:50
L24	12	(16 or 20) and (poles or leads)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 09:50
L25	0	16 and (ventilat\$3 near7 gas)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 09:59
L26	0	16 and (ventilat\$3 or hole or pinhole)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 09:59
L27	6	(("6395159") or ("6494082") or ("6074608")).PN.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/26 10:08
L29	0	1 and 27	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 10:09
L30	0	27 and (pressure near2 switch\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 10:09
L31	2536	gas\$2 near4 (escap\$3 or ventilat\$3 or leak\$3) near4 (hous\$3 or enclos\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 11:47
L32	1	1 and 31	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 11:48

L33	33	31 and ((pressure near2 switch\$3)	USPAT;	OR	ON	2005/05/26 11:50
		same (output or indicat\$3 or alarm\$3 or alert\$3 or warn\$3 or	EPO; JPO; DERWENT			
	ļ	display\$3))				